Top Coat Page 1 of 5

MSDS# : SD-TOPCOAT-01

Section 1. Identification

Product Name	Top Coat
Chemical Name	N/A
Product Use	Nails
Manufacture	MakarttPro
Address	2001 N Lamar St, Suite 240 Dallas, TX 75202
Information Contacts	+1 (855) 981-9198
Emergency Phone Nunbers	+1 (855) 981-9198

Section 2. Composition / information on ingredients

COMPONENTS	CAS#	EINECS#	INCI NAME	EXPOSURE OSHA TWA/STEL	LIMITS ACGIH TWA/STEL	CARCINOGEN IARC/NTP/OSHA	CONTENT %
POLYURETHANE ACRYLATE OLIGOMER	41137-60-4	255-239-5	DI-HEMA TRIMETHYLHEXYL DICARBAMATE	N/E	N/E	NOT LISTED	50-60%
2-HYDROXYETHYL METHACRYLATE	868-77-9	212-782-2	НЕМА	N/E	N/E	NOT LISTED	15-20%
TRIMETHYLOLPROPANE TRIACRYLATE	15625-89-5	239-701-3	TRIMETHYLOLPROPANE TRIACRYLATE	N/E	N/E	NOT LISTED	15-25%
HYDROXYCYCLOHEXYL PHENYL KETONE ETHYL TRIMETHYLBENZOYL	947-19-3	213-426-9	HYDROXYCYCLOHEXYL PHENYL KETONE ETHYL TRIMETHYBENZOYL	N/E	N/E	NOT LISTED	2-4%
PHENYLPHOSPHINATE	84434-11-7	282-810-6	PHENYLPHOSPHINATE	N/E	N/E	NOT LISTED	1-2%
N/E - None Established N/R - Not Reviewed N/DA - No Data Available N/A - Not Applicable							

Section 3. Hazards Identification

WARNING

This information may be based on findings from related or similar materials. HARMFUL IF SWALLOWED, ABSORBED THROUGH SKIN OR INHALED. DO NOT SPRAY. DO NOT HEAT. MAY CAUSE ALLERGIC SKIN REACTION. CAUSES EYE, SKIN AND RESPIRATORY TRACT IRRITATION

HEALTH: 1* Color: Various colors Physical state: viscous liquid

Odor: Ester-like odor Personal Protection: See Section 8 PHYSICAL HAZARD: 1

Relevant routes of exposure: Skin, Inhalation, Eyes

Potential Health Effects

Skin Contact: Contact skin will cause irritation. Eye Contact: Contact with eyes will cause irritation.

Top Coat

Page 2 of 5

MSDS# : SD-TOPCOAT-01

Section 4. First Aid Measures

Inhalation	Remove to fresh air. If symptoms develop and persist, get medical attention.
Skin Contact	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and shoes. Wash clothing before reuse. Get immediate medical attention if symptoms occur.
Eye Contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.
Ingestion	Do not induce vomiting. Keep individual calm. Get medical attention immediately.

Section 5. Fire-fighting Measures

Flash point: >100°C/212°F

Auto ignition temperature: Not available

Flammable/Explosive limits-lower %: Not available

Flammable/Explosive limits-upper %: Not available Extinguishing media: Foam, dry chemical or carbon dioxide. Special fire

fighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

Unusual fire or explosion hazards: Uncontrolled polymerization may occur at high temperatures resulting in explosions or rupture of storage containers.

Hazardous combustion products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors. Toxic fumes.

Section 6. Accidental Release Measures

Clean-up Methods: Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

Environmental Protection: Prevent diffusion, Prevent entry into the sewage system or open waters.

Section 7. Handling and Storage

Handing: Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. DO NOT heat or spray. Use only with adequate ventilation. Refer to Section 8. Use only in area provided with appropriate exhaust ventilation.

Storage: For safe storage, store at or below30°C (86°F). Product is extremely light sensitive. If exposed to natural light, LED, UVA, UVB or UV any light, material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store away from incompatible materials. Keep this materials away from heat, sparks, and open flame. Keep containers tightly closed when not in use.

Incompatible products: Refer to Section 10.

Top Coat

Page 3 of 5

MSDS# : SD-TOPCOAT-01

Section 8. Exposure Controls / Personal Protection

Engineering Controls: Local exhaust ventilation is recommended when general ventilation is not sufficient to control airborne contamination below occupational exposure limits.

Respiratory Protection: Use COSHA approved respirator if there is potential to exceed exposure limit(s). If this material is handled at elevated temperatures or under mist forming conditions, without engineering controls, a COSHA approved respirator must be used.

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields. In a splash hazard environment, chemical goggles should be used in combination with a full face shield.

Section 9. Physical and Chemical Properties

Appearance	color	Odor	Odor Threshold	PH	Melting point/freezing point
Viscous liquid	Transparent	Ester-like	N/A	N/A (Insoluble)	N/A
Boiling Point	Flash point	Evaporation rate	Flammability (solid, gas)	Upper/lower flammability or explosive limits;	Vapour pressure
N/A	>100°C	N/A	N/A	N/A	< 1 mmHg @20 °C
Vapour density	Solubility In Water	Relative density	Solubility(ies)	Partition coefficient: n- octanol/water;	Auto-ignition temperature
N/A	Insoluble	(H20=1): 1.15	Insoluble in the following materials: cold water and hot water	N/A	N/A
Decomposition Temperature Viscosity		Viscosity	Explosive properties		Oxidising properties
N/A 1500~2000mpa. @30°C		N/A		N/A	
Flash Point		Flammable Limit (vol %)		Auto-ignition Temperature	
>100°C/212°F		N/DA		N/DA	

Top Coat

Page 4 of 5

MSDS# : SD-TOPCOAT-01

Section 10. Stability and Reactivity

Stability: Stable under normal conditions of storage and use

Conditions to Avoid: Storage>100°F/38°C, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

Hazardous Polymerization: May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could result in violent rupture of sealed storage vessels or containers.

Incompatibility: Peroxides, oxidizing a gents.

Hazardous Decomposition Products: Oxides of carbon. Oxides of nitrogen. Irritating organic vapors.

Section 11. Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity		Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye		
No info available	No info available		No info available	No info available	No info available		
Further hazardous prop	Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.						
Sensitization			Mutagenicity Sub-chronic Toxicity				
N/DA		N/DA		N/DA			

Section12. Ecological Information

Ecotoxicological Information						
Acute Toxicity to Fish	Acute Toxicity to		Acute Toxicity to	Bioconcentration	Toxicity to Sewage	
No Information	No Information Available		No Information	No Information	No Information Available	
Chemical Fate Information						
Biodegradability No Information Available						
Chemical Oxygen Demand No Information Available						
To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated. Do not						
allow to enter drinking water supplies, wastewater, or soil.						

Section 13. Disposal Considerations

Recommended Method of Disposal: Disposal should be in accordance with existing Chinese environmental regulations. ECE Hazardous Waste Number: Not a RCRA hazardous waste.

Top Coat

Page 5 of 5

MSDS# : SD-TOPCOAT-01

Section 14. Transport Information

The shipping classifications in the classification may be different for	nis Section are for non-bulk packag or bulk packaging.	ing only (unless otherwise specifie	d). Shipping				
P.R.C Department of Transportat	ion Ground :						
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				
International Air Transportation (ICAO/IATA):							
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				
Water Transportation (IMO/IMDG):							
Proper shipping name	Hazard class or division	Identification number	Packing group:				
Unrestricted	None	None	None				

Section 15. Regulatory Information

P.R.CRegulatory Information

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

Section 16. Other Information

Disclaimer: The data contained herein are furnished for information only and was obtained from sources considered to be reliable, regarding its correctness or suitability for consumers intended use and/or application, MakarttPro company does not assume responsibility for any results obtained by persons over whose methods MakarttPro company has no control. It is the user's responsibility to determine the suitability of MakarttPro company's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of MakarttPro company's products. In light of the foregoing, MakarttPro company specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of MakarttPro company's products. Maagenta company further disclaims any liability for consequential or incidental damages of any kind, including lost profits.